

- Aagaard, P., Simonsen, EB., Andersen, JL., Magnusson, P., Dyhre-Poulsen, P. (2002). Increased Rate of Force Development and Neural Drive of Human Skeletal Muscle Following Resistance Training. *Journal of Applied Physiology*, 93(4): 1318-1326.
- Akima, H., & Ryosuke, A. (2017). Oxygenation and neuromuscular activation of the quadriceps femoris including the vastus intermedius during a fatiguing contraction. *Clin. Physiol. Funct. Imaging*, 37: 750-758.
- Allen, T.J., Jones, T., Tsay, A., Morgan, D.L., Proske, U. (2018). Muscle damage produced by isometric contractions in human elbow flexors. *J Appl. Physiol.*, 124: 388-399.
- Atkinson, T.S., Ewers, B.J., & Haut, R.C. (1999). The tensile and stress relaxation responses of human patellar tendon varies with specimen cross-sectional area. *Journal of Biomechanics*, 32(9), 907–914.
- Albracht, A., & Arampatzis, A. (2013). Exercise-Induced Changes in Triceps Surae Tendon Stiffness and Muscle Strength Affect Running Economy in Humans. *Eur J Appl Physiol*, 113: 1605-1615.
- Baar, K. (2017). Minimizing injury and maximizing return to play: Lessons from engineered ligaments. *Sports Med*, 47(s1): S5-S11.
- Babault, N., Pousson, M., Ballay, Y., Van Hoecke, J. (2001). Activation of human quadriceps femoris during isometric, concentric, and eccentric contractions. *J. Appl. Physiol.*, 91(6): 2628-2634.
- Balshaw, TG., Massey, GJ, Maden-Wilkinson, TM., Tillin, NA., Folland, JP. (2016). Training-specific functional, neural, and hypertrophic adaptations to explosive vs. sustained-contraction strength training. *J Appl Physiol*, 120(11): 1364-1373.
- Bandy, WD. & Hanten, WP. (1993). Changes in torque and electromyographic activity of the quadriceps femoris muscles following isometric training. *Phys Ther*, 73(7): 455-465.
- Berning, JM., Adams, KJ., DeBeliso, M., Sevene-Adams, PG., Harris, C., Stamford, BA. (2010). Effect of functional isometric squats on vertical jump in trained and untrained men. *JSCR*, 24(9): 2285-2289.
- Bimson, L., Langdown, L., Fisher, JP., Steele, J. (2017). Six weeks of knee extensor isometric training improves soccer related skills in female soccer players. *Journal of Trainology*, 6: 52-56.
- Blazevich, AJ., & Babault, N. (2019). Post-Activation Potentiation Versus Post-Activation Performance Enhancement in Humans: Historical Perspective, Underlying Mechanisms, and Current Issues. *Frontiers in Physiology* 10: 1359.
- Bogdanis, GC., Selima, E., Methenitis, S., Veligekas, P., Tsoukos, A., Terzis, G. (2014). Changes in muscle strength and vertical jump performance after short-term isometric training at different knee angles. *Med. Sci. Sports Exerc.* 46(5): 197.
- Bogdanis, GC., Tsoukos, A., Methenitis, SK., Selima, E., Veligekas, P., Terzis, G. (2018). Effects of low volume isometric leg press complex training at two knee angles on force-angle relationship and rate of force development. *Eur J Sport Sci*, 19(3): 345-353.
- Bohm, S., Mersmann, F., Arampatzis, A. (2015). Human Tendon Adaptation in Response to Mechanical Loading: A Systematic Review and Meta-Analysis of Exercise Intervention Studies on Healthy Adults. *Sports Medicine*, 1:7.
- Burgess, KE., Connick, MJ., Graham-Smith, P., Pearson, SJ. (2007). Plyometric vs isometric training influences on tendon properties and muscle output. *JSCR* 21:986-989.
- Chau, D. (2016). James Harden’s Brilliance is a Two-Way Mirror.
<https://www.theringer.com/2016/11/2/16037302/james-hardens-brilliance-is-a-two-way-mirror-b158d1bf2e22#.sbz40jn1r>

- Chiu, LZE., Fry, AC., Weiss, LW., Schilling, BK., Brown, LE., Smith, SL. (2003). Postactivation Potentiation Response in Athletic and Recreationally Trained Individuals. *JSCR* 17(4), 671-677.
- Chumanov, ES., Heiderscheit, BC., & Thelen, DG. (2011). Hamstring musculotendon dynamics during stance and swing phases of high-speed running. *Med. Sci. Sports Exerc.*, 43(3): 525-532.
- Cook, J.L., & Purdham, C.R. (2014). The challenge of managing tendinopathy in competing athletes. *BJSM*, 48: 506-509.
- Cook, J.L., Rio, E.R., Purdam, C.R., Docking, S.I. (2015). Revisiting the continuum model of tendon pathology: what is its merit in clinical practice and research? *BJSM*, 50(19): 1187-1191.
- Cook, J.L., E. Rio., Purdam, C.R., Docking, S.I. (2017). Revisiting the continuum model of tendon pathology: what is its merit in clinical practice and research? *BJSM*, 50(19): 11187-11191.
- Craib, MW., Mitchell, VA., Fields, KB., Cooper, TR., Hopewell, R., Morgan, DW. The association between flexibility and running economy in sub-elite male distance runners. *MedSci Sports Exerc* 28: 737-743.
- De Ruiter, CJ., de Boer, MD., Spanjaard, M., de Haan, A. (2005). Knee-angle dependent oxygen consumption during isometric contractions of the knee extensors determined with near-infrared spectroscopy. *J App Phys* 1988: 57: 327-335.
- Docking, S.I., Rio, E., Cook, J., Orchard, J.W., Fortington, L.V. (2018). The prevalence of achilles and patellar tendon injuries in Australian football players beyond a time-loss definition. *Scand. J. Med. Sci. Sports.*, 28(9): 2016-2022.
- Dobbs, WC., Toluoso, DV., Fedewa, MV., Esco, MR. (2019). Effect of Postactivation Potentiation on Explosive Vertical Jump: a Systematic Review and Meta-Analysis. *JSCR* 33(7), 2009-2018.
- Ekstrand, J., Walden, M., & Hagglund, M. (2016). Hamstring injuries have increased by 4% annually in men's professional football since 2001: A 13-year longitudinal analysis of the UEFA Elite Club injury study. *Br. J. Sports Med.*, 50(12): 731-737.
- Elliott, MC., Zarins, B., Powell, JW., Kenyon, CD. (2011). Hamstring muscle strains in professional football players: a 10-year review. *Am J Sports Med*, 39: 843-850
- Esformes, JI, Keenan, M., Moody, J., Bampouras, TM. (2011) Effect of Different Types of Conditioning Contraction on Upper Body Postactivation Potentiation. *JSCR*, 25 (1): 143-148.
- Feeley, BT., Kennelly, S., Barnes, RP., Muller, MS., Kelly, BT., Rodeo, SA., & Warren, RF. (2008). Epidemiology of National Football League training camp injuries from 1998 to 2007. *American J. Sports Med.*, 36(8): 1597-1603.
- Fletcher, JR., Esau, SP., Macintosh, BR. (2008). The effect of isometric training on muscle tendon unit stiffness of medial gastrocnemius and the economy of locomotion in highly-trained distance runners. *Med. Sci. Sports and Exerc.* 40(5): S392.
- Florit, D., Pedret, C., Casals, M., Malliaras, P., Sugimoto, D., Rodas, G. (2019). Incidence of tendinopathy in team sports in a multidisciplinary sports club over 8 seasons. *J Sports Sci Med*, 18(4): 780-788.
- French et al. (2003). Changes in Dynamic Exercise Performance Following a Sequence of Preconditioning Isometric Muscle Actions. *JSCR* 17(4): 678-685.
- Fukunaga, T., Kubo, K., Kawakami, Y., Fukushima, S., Kanehisa, H., Maganaris, CN. (2001). In Vivo Behavior of Human Muscle Tendon During Walking. *Proc Biol Sci* 268: 229-233.
- Gullich, A. & Schmidtbleicher, D. (1996). MVC-Induced Short-Term Potentiation of Explosive Force. *New Studies in Athletics*, 11(4): 67-81.

- Haff, GG., Stone, M., O'Bryant, HS., Harman, E. Dinan, C., Johnson, R., Han, KH. (1997). Force-time dependent characteristics of dynamic and isometric muscle actions. *JSCR*, 11: 269: 272.
- Hannington, M., Rio, E., Padua, D., Stanley, L., Berkoff, D., Edwards, S., Rudavsky, A., Cook, J., Docking, S. (2017). Prevalence and Impact of Patellar Tendinopathy on Elite Basketball Athletes: Quantifying Injury Beyond the Time-Loss Definition. *JSAMS*, 20(S3): 17-18
- Herbert, RD., Heroux, ME., Diong, J., Bilston, LE., Gandevia, SC., & Lichtwark, GA. (2015). Changes in the length and three-dimensional orientation of muscle fascicles and aponeuroses with passive length changes in human gastrocnemius muscles. *J. Physiol.*, 593(2): 441-455.
- Herda, TJ., Costa, PB., Walter, AA., Ryan, ED., Cramer, JT. (2012). The Time Course of the Effects of Constant-Angle and Constant-Torque Stretching on the Muscle-Tendon Unit. *Scand J Med Sci Sports*, 24: 62-67.
- Huijing, PA. (2007). Epimuscular myofascial force transmission between antagonistic and synergistic muscles can explain movement limitation in spastic paresis. *J Electromyogr Kinesiol*, 17(6): 708-724.
- Hutchison, MK., Houck, J., Cuddeford, T., Dorociak, R., & Brumitt, J. (2019). Prevalence of Patellar Tendinopathy and Patellar Tendon Abnormality in Male Collegiate Basketball Players: A Cross-Sectional Study. *JATA*, 54(9): 953-958.
- Jonex, AM. (2002). Running economy is negatively related to sit-and-reach test performance in international-standard distance runners. *Int J Sports Med*, 23:40-43.
- Khamoui, A., Brown, L., Nguyen, D., Uribe, B. (2011). Relationship between Force-Time and Velocity-Time Characteristics of Dynamic and Isometric Muscle Actions. *Journal of Strength & Conditioning Research*, 25(1): 198-204.
- Konrad, A. & Tilp, M. (2014). Increased range of motion after static stretching is not due to changes in muscle and tendon structures. *Clin. Biomech.*, 29(6): 636-642.
- Kopper, B., Csende, Z., Trzaskoma, L., Tihanyi, J. (2014). Stretch-shortening cycle characteristics during vertical jumps carried out with small and large range of motion. *J Electromyogr Kinesiol*, 24(2): 233-239.
- Kozłowski, S., Brzezinska, Z., Nazar, K., Kowalski, W., Franczyk, M. (1973). Plasma Catecholamines during Sustained Isometric Exercise. *Clin. Sci. Mol. Med.*, 45(6): 723–731.
- Kram, R., & Dawson, T.J. (1998). Energetics and bio mechanics of locomotion by red kangaroos (*Macropus rufus*). *Comparative Biochem Physiol*. B120: 41-49.
- Kraska, JM., Ramsey, MW., Haff, GG., Fethke, N., Sands, WA., Stone, ME., Stone, MH. (2009). Relationship between strength characteristics and unweighted and weighted vertical jump height. *Int J Sports Physiol Perform*, 4: 461-473.
- Kubo, K., Ishigaki, T., Ikebukuro, T. (2017). Effects of plyometric and isometric training on muscle and tendon stiffness in vivo. *Physiol Rep*, 5: 1-13.
- Kubo, K., Ohgo, K., Takeishi, R. (2006). Effects of isometric training at different knee angles on the muscle-tendon complex in vivo. *Scand J Med Sci Sports*, 16(3): 159-167.
- Kubo, K., Yata, H., Kanehisa, H., Fukunaga, T. (2006). Effects of isometric squat training on the tendon stiffness and jump performance. *Eur. J. Appl. Physiol.*, 96(3): 305-314.
- Kujala, U.M., Sarna, S., Kaprio, J. (2005). Cumulative incidence of achilles tendon rupture and tendinopathy in male former elite athletes. *Clin. J. Sport. Med.*, 15(3): 133-5.

- Kurokawa, S. Fukunaga, T., Nagano, A., Fukashiro, S. (1985). Interaction between fascicles and tendinous structures during counter movement jumping investigated in vivo. *J. Appl Physiol.*, 95(6): 2306-2314.
- Laffaye, G., & Wagner, P. (2013). Eccentric rate of force development determines jumping performance. *Computer Methods in Biomechanics and Biomedical Engineering*, 16(1), pp.82–83.
- Lai, A., Schache, A., (2014). Tendon elastic energy in the human ankle plantar-flexors and its role with increased running speed. *J of Experimental Biology*, 217(17): 3159-3168.
- Lanza, MB., Balshaw, TG., Folland, JP. (2019). Is the joint-angle specificity of isometric resistance training real? And if so, does it have a neural basis? *Eur J Appl Physiol*, 119: 2465-2476.
- Leary, BK., Statler, J., Hopkins, B., Fitzwater, R., Kesling, T., Lyon, J., Phillips, B., Bryner, RW., Cormie, P., Haff GG. (2012). The relationship between isometric force-time curve characteristics and club head speed in recreational golfers. *JSCR*, 26: 2685-2697.
- Lee CA, Lee-Barthel A, Marquino L, Sandoval N, Marcotte GR, Baar K. (2015). Estrogen inhibits lysyl oxidase and decreases mechanical function in engineered ligaments. *J Appl Physiol.*, 118(10):1250-7.
- Lee, B. & McGill, S. (2017). The effect of core training on distal limb performance during ballistic strike maneuver. *J. Spots Sci.*, 35(18): 1768-1780.
- Lee, SEK., de Lira, CAB., Nouailhetas, VLA., Vancini, RL, Andrade, MS. (2017). Do isometric, isotonic, and/or isokinetic strength trainings produce different strength outcomes? *J. Bodywork & Movement Therpies*, <https://doi.org/10.1016/j.jbmt.2017.08.001>
- Lian, OB., Engebretsen, L. & Bahr, R. (2005). Prevalence of Jumper's Knee Among Elite Athletes from Different Sports: A Cross Sectional Study. *Am J Sports Med*, 33:561-567.
- Lim, J., & Pui, W.k. (2013). Effects of Isometric and Dynamic Postactivation Potentiation Protocols on Maximal Sprint Performance. *JSCR*, 27(10): 2730-2736.
- Liu, H., Garrett, WE., Moorman, CT., Yu, B. (2012). Injury rate, mechanism, and risk factors of hamstring strain injuries in sports: A review of the literature, *Journal of Sport and Health Science*, 1(2,): 92-101,
- Loturco, I., Nakamura, FY., Artioli, GG., Kobal, R., Kitamura, K., Cal Abad, CC., Cruz, LF., Romano, F., Pereira, LA., Franchini, E. (2016). Strength and power qualities are highly associated with punching impact in elite amateur boxers. *JSCR*, 26: 2685-2697.
- Lum, D. & Barbosa, T. (2018). Application of isometric strength training for enhancing sports related dynamic performance. *International*
- Lum, D., Haff, GG., Barbosa, TM. (2020). The relationship between isometric force-time characteristics and dynamic performance: a systematic review. *Sports*, 8(5): 63.
- Lum, D., Joseph, R. (2018). Effects of two isometric strength training methods on jump and sprint performance: a pilot study. *International Conference of Strength Training*. DOI: [10.13140/RG.2.2.21463.52643](https://doi.org/10.13140/RG.2.2.21463.52643)
- Lum, D., Joseph, R. (2019). Relationship between isometric force-time characteristics and dynamic performance pre and post-training. *J. Sports Med. Phys. Fit.*, doi:10.23736/S0022-4707.19.10293-9.
- Malliaras, P., Cook, J., Purdam, C., Rio, E. (2015). Patellar Tendinopathy: Clinical diagnosis, load management, and advice for challenging case presentations. *J. Ortho. Sports. Phys. Therapy*, 45(11): 887-898.

- McClay, I., Robinson, J., Andriacchi, T., Frederick, E., Gross, T., Martin, P., Valiant, G., Williams, K., and Cavanagh, P. (1994). A Profile of Ground Reaction Forces in Professional Basketball. *Journal of applied biomechanics*, 10, pp. 222-236.
- McMahon, G.E., Morse, C.I., Burden, A., Winwood, K., Onambebe, G.L. (2014). Impact of range of motion during ecologically valid resistance training protocols on muscle size, subcutaneous fat, and strength. *JSCR*, 28(1): 245-255.
- Motron, S.K., Whitehead, J.R., Brinkert, R.H., Caine, D.J. (2011). Resistance training vs. static stretching: effects on flexibility and strength. *JSCR*, 25(12): 3391-3398.
- Myrick, K.M., Voss, A., Feinn, R.S. *et al.* (2019). Effects of season long participation on ACL volume in female intercollegiate soccer athletes. *J EXP ORTOP* 6, 12.
- Myers, CR. (1967). Effects of two isometric routines on strength, size, and endurance in exercised and nonexercised arms. *Res Q Exerc Sport*, 38(3): 430-440.
- Murphy, AJ., Wilson, GJ., Pryor, JF., Newton, RU. (1995). Isometric assessment of muscular function: The effect of joint angle. *J Appl Biomech*, 11: 205-215.
- Natera, A. & Smith, J. Modern Speed Training: Q&A with Alex Natera on Isometrics for Running Performance. <https://www.just-fly-sports.com/modern-speed-training-alex-natera/>
- Nourissat, G., Berenbaum, F., Duprez, D. (2015). Tendon injury: from biology to tendon repair. *Nat. Rev. Rheumatol.*, 11(4): 223-233.
- Nuzzo, JL, McBride, JM., Cormie, P., McCauley, GO. (2008). Relationship between countermovement jump performance and multijoint isometric and dynamic tests of strength. *JSCR*, 25: 198-204.
- Okoroha, K. R., Conte, S., Makhni, E. C., Lizzio, V. A., Camp, C. L., Li, B., & Ahmad, C. S. (2019). Hamstring Injury Trends in Major and Minor League Baseball: Epidemiological Findings From the Major League Baseball Health and Injury Tracking System. *Orthopaedic journal of sports medicine*, 7(7), 2325967119861064.
- Oranchuk, DJ., Nelson, A., Storey, A., Cronin, J. (2019a). Isometric training and long-term adaptations: Effects of muscle length, intensity, and intent: a systematic review. *Scand J Med Sci Sports*, 29(4): 484-503.
- Oranchuk, DJ., Storey, AG., Nelson, AR., Cronin, JB. (2019b). Scientific basis for eccentric quasi-isometric resistance training: A narrative review. *JSCR*, 33(10): 2846-2859.
- Paxton, J.Z., Hagerty, P., Andrick, J.J., & Baar, K. (2012). Optimizing an intermittent stretch paradigm using ERK1/2 phosphorylation results in increased collagen synthesis in engineered ligaments. *Tissue Engineering. Part A*, 18(3-4), 277-284. PubMed ID: 21902469 doi:10.1089/ten.tea.2011.0336
- Rio E., Kiddell, D., Moseley, G.L., Gaida, J., Docking, S., Purdam, C., Cook, J. (2015). Tendon Neuroplastic Training: Changing the way we think about tendon rehabilitation
- Rio, E., Kiddell, D., Moseley, G.L., Gaida, J., Docking, S., Purdam, C., Cook, J. (2016). Tendon neuroplastic training: changing the way we think about tendon rehabilitation: a narrative review. *BJSM*, 50(4): 209-215.
- Rio, E., van Ark, M., Docking, S., Moseley, G. L., Kiddell, D., Gaida, J. E., van den Akker-Scheek, I., Zwerver, J., & Cook, J. (2017). Isometric Contractions Are More Analgesic Than Isotonic Contractions for Patellar Tendon Pain: An In-Season Randomized Clinical Trial. *Clinical journal of sport medicine : official journal of the Canadian Academy of Sport Medicine*, 27(3), 253-259.

- Rixon et al. (2007). Influence of Type of Muscle Contraction, Gender, and Lifting Experience on Postactivation Potentiation Performance. *Journal of Strength and Conditioning Research*, 21(2): 500-505.
- Rudavsky, A. & Cook, J. (2014). Physiotherapy management of patellar tendinopathy (jumper's knee). *J. Physiotherapy*, 60: 122-129.
- Samiric, T., Parkinson, J., Ilic, M.Z., Cook, J., Feller, J.A., & Handley, C.J. (2009). Changes in the composition of the extracellular matrix in patellar tendinopathy. *Matrix Biology*, 28(4), 230–236. PubMed ID: 19371780 doi:10.1016/j.matbio.2009.04.001
- Schaefer, LV., & Bittman, FN. (2017). Are there two forms of isometric muscle action? Results of the experimental study support a distinction between a holding and a pushing isometric muscle function. *BMC Sports Sci. Med. Rehab.* 9: 1-13.
- Scheipp, R. (2003). Fascial plasticity- a new neurobiological explanation: Part 1 and 2. *Journal of Bodywork and Movement Therapies*, 7(1&2), 11-19; 104-116.
- Schleipp, R. (ed.)(2015). *Fascia in Sport and Movement*. Handspring Publishers.
- Schoenfeld, B. (2010). The mechanisms of muscle hypertrophy and their application to resistance training. *JSCR*, 24(10): 2857-2872.
- Schott, J., McCully, K., Rutherford, OM. (1995). The role of metabolites in strength training: short versus long isometric contractions. *Eur J Appl Phys Occup Phys*, 71(4): 337-341.
- Seitz, LB., de Villarreal, ES., & Haff, GG. (2014). The Temporal Profile of Postactivation Potentiation is Related to Strength Level. *JSCR*, 28: 706-715.
- Seitz, LB., & Haff, GG. (2015) Factors Modulating Post-Activation Potentiation of Jump, Sprint, Throw, and Upper-Body Ballistic Performances: A Systematic Review with Meta-Analysis. *Sports Med* 46: 231-240.
- Shaw, G., Lee-Barthel, Ross, M.L.R., Wang, B., Baar, K. (2017). Vitamin C-enriched gelatin supplementation before intermittent activity augments collagen synthesis. *American J. of Nutrition*, 105(1): 136-143.
- Simpson, CL., Kim, BDH., Bourcier, MR., Jones, GR., Jakobi, JM. (2017). Stretch training induces unequal adaptation in muscle fascicles and thickness in medial and lateral gastrocnemii. *Scand J. Med. Sci. Sports*, 27: 1597-1604.
- Spiteri, T., Nimphius, S., Hart, NH., Specos, C., Sheppard, JM., Newton, RU. (2014). Contribution of strength characteristics to change of direction and agility performance in female basketball athletes. *JSCR*, 28: 2415-2423.
- Spurway, NC. (2007). Hiking physiology and the “quasi-isometric” concept. *J. Sports Sci.* 25: 1081-1093.
- Stone, MH., Sanborn, K., O'Bryant, H., Hartman, M., Stone, ME., Proulx, C., Ward, B., Hruby, J. (2003). Maximum strength-power-performance relationship in collegiate throwers. *JSCR*, 17: 739-745.
- Stone, MH., Sands, WA., Carlock, J., Callan, S., Dickie, D., Daigle, K., Cotton, J., Smith, SL., Hartman, M. (2004). The importance of isometric maximum strength and peak rate of force development in sprint cycling. *JSCR*, 18: 878-884.
- Suchomel, T.J., Wagle, J.P., Douglas, J., Taber, C.B., Haren, M., Haff, G.G., Stone, M.H. (2019). Implementing Eccentric Resistance Training – Part 1: A Brief Review of Existing Methods. *J. Func. Morph & Kines.*, 4(2): 38.
- Thepaut-Mathieu, C., Van Hoecke, J., Maton, B. (1988). Myoelectrical and mechanical changes linked to length specificity during isometric training. *J Appl Physiol*, 64(4): 1500-1505.

- Thomas, C., Comfort, P., Chiang, CY., Johes, PA. (2015). Relationship between isometric mid-thigh pull variables and sprint and change of direction performance in collegiate athletes. *J Train.*, 4: 6-10.
- Till, KA., & Cook, C. (2009). The Effects of Postactivation Potentiation on Sprint and Jump Performance of Male Academy Soccer Players. *JSCR*, 23(7): 1960-1967.
- Tillin, NA., Pain, MTG., Folland, JP. (2013). Explosive force production during isometric squats correlates with athletic performance in rugby union players. *J Sports Sci*, 31:66-76.
- Tilin, NA., Folland, JP. (2014). Maximal and explosive strength training elicit distinct neuromuscular adaptations, specific to the training stimulus. *Eur J Appl Physiol*, 114(2): 365-374.
- Townsend, JR., Bender, D., Vantrease, W., Hudy, J., Huet, K., Williamson, C., Bechke, E., Serafini, P., Mangine, GT. (2019). Isometric mid-thigh pull performance is associated with athletic performance and sprinting kinetics in division I men and women's basketball players. *JSCR*, 33: 2665-2673.
- Trehearn, TL., & Buresh, RJ. (2009). Sit-and-reach flexibility and running economy of men and women collegiate distance runners. *JSCR*, 23(1): 158-162.
- Tsokalis C., Bogdaris, GC., Nikolaou, A., Zacharogiannis, E. (2011). Influence of Type of Muscle Contraction and Gender on Postactivation Potentiation of Upper and Lower Limb Explosive Performance in Elite Fencers. *J Sport Sci Med* 10: 577-583.
- Van Hooren, B., & Bosch, F. (2016). Influence of muscle slack on high-intensity sport performance: a review. *SCJ*, 38(5): 75-87.
- Van Hooren, B., & Bosch, F. (2017). Is there really an eccentric action of the hamstrings during the swing phase of high-speed running? Part I: A critical review of the literature. *J Sport Sci*, 35(23): 2313-2321.
- Wang, R., Hoffman, JR., Tanigawa, S., Miramonti, AA., La Monica, MB., Beyer, KS., Church, DD., Fukuda, DH., Stout, JR. (2016). Isometric mid-thigh pull correlates with strength, sprint, and agility performance in collegiate rugby union players. *JSCR*, 30:3051-3056.
- Wells, JET., Mitchell, ACS., Charalambous, LH., Fletcher, LM. (2018). Relationship between highly skilled golfers' clubhead velocity and force producing capabilities during vertical jumps and an isometric midthigh pull. *J. Sports Sci.*, 36: 1847-1851.
- Williams, DM. (2011). *The study of voluntary activation and force production relationships and responses to varied isometric strength training parameters during fatiguing and non-fatiguing test protocols*. University of Iowa.
- C. Woods, R.D. Hawkins, M. Hulse, A. Hodson. (2002). The football association medical research programme: an audit of injuries in professional football – analysis of preseason injuries. *Br. J. Sports Med.*, 36: 436-441.
- C. Woods, R.D. Hawkins, S. Maltby, M. Hulse, A. Thomas, A. Hodson (2004). The football association medical research programme: an audit of injuries in professional football – analysis of hamstring injuries. *Br. J. Sports Med.*, 38: 36-41
- Zoladz, JA., Szkutnik, Z., Majerczak, J., Grandys, M., Duda, K., Grassi, B. (2012). Isometric strength training lowers the O₂cost of cycling during moderate-intensity exercise. *Eur. J. Appl. Physiol.*, 112: 4151-4161.